#### **Motorized Stage (Rack & Pinion Type)**





**Dovetail Rack & Pinion Series** 

JD-246P/ JD-249P/ JD-2411P

JD3-255P/ JD3-257P

JD-40P

JD-44P

JD-46P

JD-48P

JD-49P

JD-414P JD-419P

JDHZ-40/ JDHZ-60

### 至宬有限公司


TEL: 03-4635013 FAX: 03-4635119 32060 桃園市中壢區內定五街 88-1 號 A 棟 sam0908352189@gmail.com




### JD-246P, 249P, 2411P




Model	JD1-246P	JD1-249P	JD1-2411P
Surface Size	24 x 60 mm	24 x 90 mm	24 x 110 mm
Travel Range	±20 mm	±30 mm	±40 mm
Travel Guide	Dov	etail,Rack&Pir	nion
Readable Resolution		0.1mm / Vernier	
Parallelism	40 <i>µ</i> m		
Driving Parallelism	30 <i>µ</i> m		
Load Capacity	1.0kgf	1.5kgf	2.0kgf
Base Plate	X		
Weight	0.1kg 0.15kg 0.2kg		0.2kg
Material	Aluminum	Aluminum	Aluminum
Finish Treatment	Black Anodizing	Black Anodizing	Black Anodizing



JD1-246P




#### JD1-249P




JD1-2411P


#### JD3-255P/ JD3-257P



Model	JD3-255P	JD3-257P
Surface Size	25 x 50 mm	25 x 70 mm
Travel Range	±15 mm	±25 mm
Travel Guide	Dovetail, Rack & Pinion	
Readable Resolution	0.1mm / Vernier	
Parallelism	40 <i>μ</i> m	
Driving Parallelism	30 <i>µ</i> m	
Load Capacity	0.120kgf	0.135kgf
Base Plate	X	
Weight	0.12kg	0.13kg
Material	Aluminum	Aluminum
Finish Treatment	Black Anodizing	Black Anodizing




JD3-255P




JD3-257P




#### JD-40P



Model	JD1-40P	JD2-40P
Surface Size	40 x 40 mm	40 x 40 mm
Travel Range	±10 mm	±10 mm
Travel Guide	Dovetail , Rack & Pinion	Dovetail , Rack & Pinion
Readable Resolution	0.1mm / Vernier	0.1mm / Vernier
Parallelism	40 <i>μ</i> m	70 <i>µ</i> m
Driving Parallelism	30 <i>μ</i> m	30 <i>µ</i> m
Load Capacity	2.5kgf	2.3kgf
Base Plate	Χ	X
Weight	0.15kg	0.3kg
Material	Aluminum	Aluminum
Finish Treatment	Black Anodizing	Black Anodizing




#### JD1-40P




**JD2-40P** 




#### JD-40P




Model	JD3-40P	JD4-40P
Surface Size	40 x 40 mm	40 x 40 mm
Travel Range	±10 mm	±10 mm
Travel Guide	Dovetail , Rack & Pinion	Dovetail, Rack & Pinion
Readable Resolution	0.1mm / Vernier	0.1mm / Vernier
Parallelism	50μm	120µm
Driving Parallelism	30 <i>µ</i> m	30 <i>µ</i> m
Load Capacity	1.5kgf	1.5kgf
Base Plate	X	X
Weight	0.17kg	0.47kg
Material	Aluminum	Aluminum
Finish Treatment	Black Anodizing	Black Anodizing





**JD3-40P** 



**JD4-40P** 




#### JD-44P








Model	JD1-44P	JD2-44P
Surface Size	40 x 40 mm	40 x 40 mm
Travel Range	±10 mm	±10 mm
Travel Guide	Dovetail , Rack & Pinion	Dovetail , Rack & Pinion
Readable Resolution	0.1mm / Vernier	0.1mm / Vernier
Parallelism	40 <i>µ</i> m	70 <i>µ</i> m
Driving Parallelism	30 <i>µ</i> m	30 <i>µ</i> m
Load Capacity	2.5kgf	2.3kgf
Base Plate	X	X
Weight	0.15kg	0.3kg
Material	Aluminum	Aluminum
Finish Treatment	Black Anodizing	Black Anodizing



# 8

#### JD1-44P



JD2-44P

### JD-44P










Model	JD3-44P	JD4-44P
Surface Size	40 x 40 mm	40 x 40 mm
Travel Range	±10 mm	±10 mm
Travel Guide	Dovetail , Rack & Pinion	Dovetail, Rack & Pinion
Readable Resolution	0.1mm / Vernier	0.1mm / Vernier
Parallelism	50 <i>μ</i> m	120 <i>µ</i> m
Driving Parallelism	30 <i>µ</i> m	30 <i>µ</i> m
Load Capacity	1.5kgf	1.5kgf
Base Plate	X	X
Weight	0.17kg	0.47kg
Material	Aluminum	Aluminum
Finish Treatment	Black Anodizing	Black Anodizing


Ī








#### JD3-44P




JD4-44P





### **JD-46P**




Model	JD1-46P	JD2-46P
Surface Size	40 x 60 mm	40 x 60 mm
Travel Range	±20 mm	±20 mm
Travel Guide	Dovetail , Rack & Pinion	Dovetail , Rack & Pinion
Readable Resolution	0.1mm / Vernier	0.1mm / Vernier
Parallelism	40 <i>µ</i> m	70 <i>μ</i> m
Driving Parallelism	30 <i>μ</i> m	$30\mu$ m
Load Capacity	3kgf	2.7kgf
Base Plate	0	0
Weight	0.28kg	0.56kg
Material	Aluminum	Aluminum
Finish Treatment	Black Anodizing	Black Anodizing













JD1-46P











JD2-46P





### **JD-46P**




Model	JD3-46P	JD4-46P
Surface Size	40 x 60 mm	40 x 60 mm
Travel Range	±20 mm	±20 mm
Travel Guide	Dovetail , Rack & Pinion	Dovetail, Rack & Pinion
Readable Resolution	0.1mm / Vernier	0.1mm / Vernier
Parallelism	50 <i>µ</i> m	120µm
Driving Parallelism	30 <i>μ</i> m	30 <i>μ</i> m
Load Capacity	1.5kgf	1.5kgf
Base Plate	X	0
Weight	0.3kg	0.86kg
Material	Aluminum	Aluminum
Finish Treatment	Black Anodizing	Black Anodizing









#### **JD3-46P**








JD4-46P





### **JD-48P**




Model	JD1-48P	JD2-48P
Surface Size	40 x 80 mm	40 x 80 mm
Travel Range	±25 mm	±25 mm
Travel Guide	Dovetail , Rack & Pinion	Dovetail , Rack & Pinion
Readable Resolution	0.1mm / Vernier	0.1mm / Vernier
Parallelism	50 <i>μ</i> m	80 <i>µ</i> m
Driving Parallelism	30 <i>μ</i> m	30 <i>µ</i> m
Load Capacity	3.8kgf	3.5kgf
Base Plate	0	0
Weight	0.34kg	0.68kg
Material	Aluminum	Aluminum
Finish Treatment	Black Anodizing	Black Anodizing












**JD1-48P** 









**JD2-48P** 





#### **JD-48P**




Model	JD3-48P	JD4-48P
Surface Size	40 x 80 mm	40 x 80 mm
Travel Range	±25 mm	±25 mm
Travel Guide	Dovetail , Rack & Pinion	Dovetail, Rack & Pinion
Readable Resolution	0.1mm / Vernier	0.1mm / Vernier
Parallelism	60 <i>μ</i> m	130 <i>µ</i> m
Driving Parallelism	30 <i>μ</i> m	30 <i>µ</i> m
Load Capacity	1.5kgf	1.5kgf
Base Plate	X	0
Weight	0.36kg	1.04kg
Material	Aluminum	Aluminum
Finish Treatment	Black Anodizing	Black Anodizing








#### **JD3-48P**




JD4-48P





### **JD-49P**




Model	JD1-49P	JD2-49P
Surface Size	40 x 90 mm	40 x 90 mm
Travel Range	±30 mm	±30 mm
Travel Guide	Dovetail , Rack & Pinion	Dovetail , Rack & Pinion
Readable Resolution	0.1mm / Vernier	0.1mm / Vernier
Parallelism	50 <i>μ</i> m	80 <i>μ</i> m
Driving Parallelism	30 <i>μ</i> m	30 <i>µ</i> m
Load Capacity	4kgf	3.7kgf
Base Plate	0	0
Weight	0.36kg	0.72kg
Material	Aluminum	Aluminum
Finish Treatment	Black Anodizing	Black Anodizing












JD1-49P








JD2-49P





### **JD-49P**




Model	JD3-49P	JD4-49P
Surface Size	40 x 90 mm	40 x 90 mm
Travel Range	±30 mm	±30 mm
Travel Guide	Dovetail , Rack & Pinion	Dovetail, Rack & Pinion
Readable Resolution	0.1mm / Vernier	0.1mm / Vernier
Parallelism	60 <i>μ</i> m	130 <i>μ</i> m
Driving Parallelism	30 <i>μ</i> m	30 <i>µ</i> m
Load Capacity	1.5kgf	1.5kgf
Base Plate	X	0
Weight	0.38kg	1.1kg
Material	Aluminum	Aluminum
Finish Treatment	Black Anodizing	Black Anodizing










JD3-49P



JD4-49P





## **JD-414P**





Model	JD1-414P	JD2-414P
Surface Size	40 x 140 mm	40 x 140 mm
Travel Range	±50 mm	±50 mm
Travel Guide	Dovetail , Rack & Pinion	Dovetail , Rack & Pinion
Readable Resolution	0.1mm / Vernier	0.1mm / Vernier
Parallelism	80 <i>μ</i> m	100 <i>µ</i> m
Driving Parallelism	30 <i>μ</i> m	30 <i>μ</i> m
Load Capacity	4.5kgf	4.3kgf
Base Plate	0	0
Weight	0.55kg	1.1kg
Material	Aluminum	Aluminum
Finish Treatment	Black Anodizing	Black Anodizing






JD2-414P




### **JD-419P**



Model	JD1-419P	JD2-419P
Surface Size	40 x 190 mm	40 x 190 mm
Travel Range	±80 mm	±80 mm
Travel Guide	Dovetail , Rack & Pinion	Dovetail , Rack & Pinion
Readable Resolution	0.1mm / Vernier	0.1mm / Vernier
Parallelism	100 <i>µ</i> m	1 40μm
Driving Parallelism	30 <i>µ</i> m	30 <i>µ</i> m
Load Capacity	5kgf	4.7kgf
Base Plate	0	0
Weight	1kg	2kg
Material	Aluminum	Aluminum
Finish Treatment	Black Anodizing	Black Anodizing




#### JD1-419P





JD2-419P


#### JDHZ-40 / 60




Model	JDHZ-40	JDHZ-60
Surface Size	40 x 40 mm	60 x 60 mm
Position of Micrometer Head	Center	
Travel Range	±5 mm	±10 mm
Travel Guide	Dovetail, Rack & Pinion	
Readable Resolution	0.1mm / Vernier	
Load Capacity	1.0 kgf	1.5 kgf
Parallelism	40 <i>μ</i> m	40 <i>μ</i> m
Driving Parallelism	30 <i>μ</i> m	30 <i>µ</i> m
Load Capacity	1.0kgf	1.5kgf
Weight	0.13kg	0.47kg
Material	Aluminum	
Finish Treatment	Black Anodizing	









#### JDHZ-40







JDHZ-60